EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2833	(different with database) and (tree NEAR5 database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L2	0	(search$6 OR find$5 OR quer$5) NEAR5 (different with database) and (tree NEAR5 database) and (non$tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L3	224	(search$6 OR find$5 OR quer$5) NEAR5 (different with database) and (tree NEAR5 database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L4	12	(search$6 OR find$5 OR quer$5) NEAR5 (different with database) and (tree NEAR5 database) AND ((linear OR sequential) NEAR4 database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L5	21	(search$6 OR find$5 OR quer$5) NEAR5 (different with database) and ((hierarchical OR tree) NEAR5 database) AND ((linear OR sequential) NEAR4 database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L6	252	non$tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L7	0	non$tree NEAR2 index$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L8	0	non-tree NEAR2 index$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L9	1	non$tree with index$5	US-PGPUB; USPAT;	ADJ	ON	2011/11/10 14:29

			FPRS; EPO; JPO; DERWENT; IBM_TDB			
L10	2	"10586534"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L11	1	"10586534" and update with index$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L12	3	(data or information or record or POI or (point NEAR3 interest$5)) NEAR4 indexed with alphabetical order	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L13	3	"20020013657"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L14	1	"10586534" and non-target index	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L15	1	"10586534" and non-target index and flag	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L16	48	((linear OR sequential) NEAR4 database) same tree with index$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L17	18	((linear OR sequential) NEAR4 database) with tree with index$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L18	4	(20020013658|20030028316|20020052894|6980907).pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L19	0	(20020013658|20030028316|20020052894|6980907).pn. and sky	US-PGPUB; USPAT; FPRS;	ADJ	ON	2011/11/10 14:29

			EPO; JPO; IBM_TDB			
L20	0	(20020013658|20030028316|20020052894|6980907).pn. and key	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L21	0	updat$10 with poi with seperat$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L22	20	updat$10 with poi with (seperat$10 OR different$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L23	0	updat$10 with poi with (seperat$10 OR different$10) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L24	20	updat$10 with interest$6 with (seperat$10 OR different$10) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L25	5	updat$10 with interest$6 NEAR3 point with (seperat$10 OR different$10) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L26	0	updat$10 with interest$6 NEAR3 point with (TWO) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L27	0	updat$10 with interest$6 NEAR3 point with (second$4) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L28	1	updat$10 NEAR4 (record or data) NEAR5 (temporary) ADJ (database or storage or memory) and (poi or (point NEAR2 interest))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L29	139	updat$10 NEAR4 (record or data) NEAR5 (temporary) ADJ (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L30	25	updat$10 NEAR4 (record or data) NEAR5 (temporary or second$4 or temp or seperat$10 or different) ADJ (database or storage or memory) AND (tree with database) AND (linear or sequential)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L31	0	updat$10 NEAR4 (record or data) NEAR5 (temporary or second$4 or temp or seperat$10 or different) ADJ (database or storage or memory) AND (tree with	US-PGPUB; USPAT; FPRS;			

		database) AND (linear or sequential) NEAR2 search$10	EPO; JPO; IBM_TDB			
L32	4	updat$10 NEAR4 (record or data) NEAR5 (temporary or second$4 or temp or seperat$10 or different) ADJ (database or storage or memory) AND (linear or sequential) NEAR2 search$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L33	4	updat$10 NEAR4 (record or data) NEAR5 (temporary or second$4 or temp or seperat$10 or different) ADJ (database or storage or memory) AND (linear or sequential or ISAM) NEAR2 search$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L34	43	(temporary or second$4 or temp or seperat$10 or different) ADJ (database or storage or memory) same (linear or sequential or ISAM) NEAR2 search$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L35	7	(temporary or second$4 or temp or seperat$10 or different) ADJ (database or storage or memory) same (linear or sequential or ISAM) NEAR2 search$10 AND (tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L36	2	("20060190507") and search$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L37	1	"6980907".pn. and cach$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L38	0	"6980907".pn. and cach$6 with search$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L39	0	"6980907".pn. and cach$6 same search$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L40	1	"6980907".pn. and cach$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L41	1	"6980907".pn. and dynamic with search$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L42	1	"6980907".pn. and search$10	US-PGPUB; USPAT;	ADJ	OFF	2011/11/10 14:29

				FPRS; EPO; JPO; DERWENT; IBM_TDB			
L43	1	"6980907".pn. and (search$10 or find$10)		US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L44	1	"6980907".pn. and (search$10 with ("102" OR "103" OR "104"))		US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L45	0	"6980907".pn. and (search$10 with "201")		US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L46	0	"6980907".pn. and (search$10 same "201")		US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L47	61	(search$10 or find$10) NEAR3 differential data		US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L48	0	(search$10 or find$10) NEAR3 differential data AND (poi or (point NEAR2 interest))		US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L49	1	(search$10 or find$10) NEAR3 differential data AND (poi or (point NEAR2 interest))		US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L50	3	(7158996|6792432|20020046209).pn.		US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L51	575	search$10 with scan$6 NEAR3 (row or record)		US-PGPUB; USPAT; FPRS; EPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L52	411	search$10 NEAR5 scan$6 NEAR3 (row or record)		US-PGPUB; USPAT; FPRS; EPO; JPO;	ADJ	ON	2011/11/10 14:29

			IBM_TDB			
L53	0	search$10 NEAR5 scan$6 NEAR3 (row or record) NEAR5 (each or by)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L54	0	search$10 NEAR5 scan$6 NEAR3 (row or record) NEAR5 ("each" or "by")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L55	0	search$10 same scan$6 NEAR3 (row or record) NEAR5 ("each" or "by")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L56	9	(temporary or second$4 or temp or separat$10 or different) ADJ (database or storage or memory) same (linear or sequential or ISAM) NEAR2 search$10 AND (tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L57	9	search$10 same scan$6 NEAR3 (row or record) NEAR5 (short or small)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L58	767	(search$10 OR scan$6 OR sequential) NEAR3 (row or record or list) NEAR5 (short or small)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L59	37	(scan$6 OR sequential) NEAR3 (row or record or list) NEAR5 (short or small) and ("707"/$.ccls. or 1/1.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L60	568	((linear OR sequential) NEAR4 Search$6) and (tree with index$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L61	0	((linear OR sequential) NEAR4 Search$6) and (tree with index$5) and (707/609,616,621,641.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L62	105	((linear OR sequential) NEAR4 Search$6) WITH (record or row or data or list) and (tree with index$5) and (1/1.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L63	93	((linear OR sequential) NEAR4 Search$6) WITH (record or row or data or list) and (tree with index$5) and (1/1.ccls.) and database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29

L64	73	((linear OR sequential) NEAR4 Search$6) WITH (record or row or data or list) and (tree with index$5) and (1/1.ccls.) and database with (record or row or table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L65	8	((linear OR sequential) NEAR4 Search$6) WITH (record or row or data or list) with (small or short or few) and (tree with index$5) and (1/1.ccls.) and database with (record or row or table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L66	6840	updat$10 with (record or data) with (second$4 or different or separat$5) NEAR2 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L67	55	updat$10 with (record or data) with (second$4 or different or separat$5) NEAR2 (database or storage or memory) and (poi or point NEAR2 interest)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L68	51	updat$10 NEAR4 (record or data) NEAR5 (second$4 or separat$5) NEAR2 (database or storage or memory) and (poi or point NEAR2 interest)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L69	9	updat$10 NEAR4 (record or data) NEAR5 (second$4 or different or separat$5) ADJ (database or storage or memory) and (poi or (point NEAR2 interest))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L70	9	updat$10 NEAR4 (record or data) NEAR5 (second$4 or different or separat$5) ADJ (database or storage or memory) and (poi or (point NEAR2 interest))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L71	25	updat$10 NEAR4 (record or data) NEAR5 (temporary or second$4 or temp or separat$10 or different) ADJ (database or storage or memory) AND (tree with database) AND (linear or sequential)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L72	0	updat$10 NEAR4 (record or data) NEAR5 (temporary or second$4 or temp or separat$10 or different) ADJ (database or storage or memory) AND (tree with database) AND (linear or sequential) NEAR2 search$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L73	4	updat$10 NEAR4 (record or data) NEAR5 (temporary or second$4 or temp or separat$10 or different) ADJ (database or storage or memory) AND (linear or sequential) NEAR2 search$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L74	4	updat$10 NEAR4 (record or data) NEAR5 (temporary or second$4 or temp or separat$10 or different) ADJ (database or storage or memory) AND (linear or ISAM) NEAR2 search$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L75	45	(temporary or second$4 or temp or separat$10 or different) ADJ (database or storage or memory) same (linear or sequential or ISAM) NEAR2 search$10	US-PGPUB; USPAT; FPRS;	ADJ	ON	2011/11/10 14:29

				EPO; JPO; IBM_TDB			
L76	9	(temporary or second$4 or temp or separat$10 or different) ADJ (database or storage or memory) same (linear or sequential or ISAM) NEAR2 search$10 AND (tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29
L77	8	navigation AND ((point$2 NEAR3 interest$3) OR POI) with (my address or address book) with search$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L78	0	navigation AND ((point$2 NEAR3 interest$3) OR POI) with (my address or address book) with favorites with search$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L79	0	navigation AND ((point$2 NEAR3 interest$3) OR POI) with (my address or address book) with favorit$ with search$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L80	4	navigation AND ((point$2 NEAR3 interest$3) OR POI) with (my address or address book) with search$6 AND (user NEAR5 (save OR saving OR stor$5 OR updat$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L81	2	navigation AND ((point$2 NEAR3 interest$3) OR POI) with (my address or address book) with search$6 AND (user NEAR5 (save OR saving OR stor$5 OR updat$5)) NEAR4 (my address or address book)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L82	1767	navigation AND search$5 with (my address or address book or favorit$4 or my book)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L83	22	navigation AND search$5 with (my address or address book or favorit$4 or my book) with ((point$2 NEAR3 interest$3) OR POI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/11/10 14:29
L84	0	"10586534" and requir$4 with tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT;	ADJ	ON	2011/11/10 14:29

			IBM_TDB				
L85	5	navigation AND search$5 with (my address or address book or favorit$4 or my book) with ((point$2 NEAR3 interest$3) OR POI) and edit$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L86	123	navigat$10 NEAR2 (device or appratus or system) AND search$5 with (my address or address book or favorit$4 or my book) same edit$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L87	30	navigation NEAR2 (device or appratus or system) AND search$5 with (my address or address book or favorit$4 or my book) same edit$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L88	2	navigation NEAR2 (device or appratus or system) AND search$5 with ((point$2 NEAR3 interest$3) OR POI) with (my address or address book or favorit$4 or my book) AND edit$5 NEAR4 (my address or address book or favorit$4 or my book)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/11/10 14:29
L89	4	(20020013658|5204958|6980907|4611272).pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/11/10 14:29

11/ 10/ 2011 2:36:20 PM
C:\ Users\ yzhao\ Documents\ EAST\ Workspaces\ 10586534 RCE2 final.wsp